



THIRD-PARTY TESTED



ORIGINAL LABORATORY REPORT

Full report provided below (supplier information withheld).

Third-Party

Testing Documentation

N-Acetyl Semax Amideate 10mg



BATCH NUMBER

SEM1005182026-10



ANALYSIS DATE

May 29, 2026



TESTING LABORATORY

Janoshik Analytical



TEST TYPE

Identity, Purity & Content



REPORT SOURCE

Manufacturer-Supplied

Supplier information has been withheld to protect proprietary sourcing relationships.

TEST REPORT



E-mail: info@janoshik.com
Web: www.janoshik.com

Task Number

#166070

Testing ordered > 20 MAY '26

Sample received > 22 MAY '26

Client

Confidential Supplier

Sample

N-Acetyl Semax Amideate 10mg

Manufacturer

Confidential Supplier

Batch

SEM1005182026-10

Sample description >

See picture or pictures attached.

Tests requested >

N-acetyl Semax Amideate analysis

Results >



N-Acetyl Semax Amideate	11.71 mg; 12.00 mg; 11.59 mg.
Purity	99.105%; 99.136%; 99.329%.

Comments >

Analysis conducted > 29 MAY 2026

Signature >



Verify this test at www.janoshik.com/verify/ with the following unique key

QESLIU29U6R



DOWNLOAD FULL REPORT (SUPPLIER REPORT)

Original laboratory report (supplier details withheld)

RESULT SUMMARY

PARAMETER	RESULT
N-Acetyl Semax Amideate Content	11.71 mg / 12.00 mg / 11.59 mg
Purity	99.105% / 99.136% / 99.329%



IMPORTANT DISCLOSURE

This report was originally commissioned by the manufacturer and supplied to Apexx Biolabs as supporting batch documentation. Apexx Biolabs did not directly commission this analysis. The report is provided for informational and research documentation purposes only.

The original laboratory report remains the property of the issuing laboratory and reflects analysis performed on the submitted sample associated with the referenced batch.

Research Use Only. Not for Human Consumption.



THIRD-PARTY TESTED
Independent laboratory analysis



VERIFIED PURITY
High purity and quality assured



RESEARCH ONLY
For laboratory research purposes only



NOT FOR HUMAN USE
Not intended for human consumption

